

Canadian Journal of Anesthesia

Index of Authors

Volume 54, December 2007

Note: Abstracts and refresher course outlines in the June *Annual Meeting Supplement* are not included in this index.

A

- Abbas S. See Chan VWS.
 Agarwal A, Gautam S, Gupta D, Singh U.
 Transdermal diclofenac patch *vs* eutectic mixture of local anesthetics for venous cannulation pain, 196
 Al-arcibi A, Coveney L, Singh S, Katsiris S. Case report: Anesthetic management for sequential Cesarean delivery and laminectomy, 471
 Aldegheri G. See Cappelleri G.
 Allaouchiche B. See Rimmelé T.
 Allen TK, George RB, Olufolabi AJ, James AH, Muir HA, Habib AS. The management of Cesarean delivery in a parturient with paroxysmal nocturnal hemoglobinuria complicated by severe preeclampsia, 646
 Amour J. See David J-S.
 Aoyama K. See Takenaka I.
 Arita H. See Mizuno J.
 Armstrong KP. See Jones PM.; Turkstra TP.
 Armstrong PM. See Jones PM.; Turkstra TP.
 Arnaut K. See Cummings KC III.
 Arochane M. See Ruest P.
 Arzola C, Balki M, Carvalho JCA. The antero-posterior diameter of the lumbar dural sac does not predict sensory levels of spinal anesthesia for Cesarean delivery, 620
 Athwal GS. See Dhir S.

B

- Backman SB. See Hennessey TA.
 Backman SSB. See Deschamps A.
 Bagshaw SM, Brindley PG, Gibney N, Bellomo R. Best Evidence in Critical Care Medicine: Continuous or intermittent renal replacement for treatment of severe acute kidney injury in critically ill patients. Commentary, 845
 Balki M, Kasodekar S, Dhumne S, Bernstein P, Carvalho JCA. Remifentanyl patient-controlled analgesia for labour: optimizing drug delivery regimens, 626
 Balki M. See also Arzola C.; Rofaee A.

- Bar-Yosef S, Cozart HB, Phillips-Bute B, Mathew JP, Grocott HP. Preoperative low molecular weight heparin reduces heparin responsiveness during cardiac surgery, 107
 Baraka A. See Taha S.
 Baraka AS. See El-Khatib MF.
 Baraniuk JN. See Stafford-Smith M.
 Bartz R. See Stafford-Smith M.
 Baxter AD, Kanji S. Protocol implementation in anesthesia: beta-blockade in non-cardiac surgery patients, 114
 Beattie WS. See Karkouti K.; Wijesundera DN.
 Beaulieu P. Continuing Medical Education: Non-opioid strategies for acute pain management, 481
 Beauvais M. See Bussièrès JS.
 Béchard P, Perron G, Larochelle D, Lacroix M, Labourdette A, Dolbec P. Case report: Epidural blood patch in the treatment of abducens palsy after a dural puncture, 146
 Beevi S. See Thomas S.
 Bélisle S. See Piquette D.
 Bell D. See McIntyre LA.
 Bellomo R. See Bagshaw SM.
 Ber C-E. See Rimmelé T.
 Bernstein P. See Balki M.
 Bock M, Haselmann L, Böttiger BW, Motsch J.
 Priming with rocuronium accelerates neuromuscular block in children: a prospective randomized study, 538
 Boldt J. See Lehmann A.
 Bonneville KS. See Neira VM.
 Boscarol R, Gilron I, Orr E. Chronobiological characteristics of postoperative pain: diurnal variation of both static and dynamic pain and effects of analgesic therapy, 696
 Boselli E. See Rimmelé T.
 Böttiger BW. See Bock M.
 Boudreault D. See Charbonneau S.; Thibault M.
 Bramhall JS. See Olivar H.
 Brannath W. See Delle Karth G.
 Bräuer A, English MJM, Steinmetz N, Lorenz N, Perl T, Weyland W, Quintel M. Efficacy of forced-air warming systems with full body blankets, 34
 Breen PH. See Rosenbaum A.
 Bret M. See Rimmelé T.

- Brindley PG, Simmonds M, Gibney RTN. Best Clinical Evidence: Medical emergency teams: is there M.E.R.I.T? 389
- Brindley PG. See also Bagshaw SM.; Paton-Gay JD.
- Brull R. See Chan VWS.
- Bryson GL, MacNeil R, Jeyaraj LM, Rosaeg OP. Small dose spinal bupivacaine for Cesarean delivery does not reduce hypotension but accelerates motor recovery, 531
- Bryson GL, Thompson C, Gagne S, Byford L, Penning J, Kattan M. The addition of adrenaline to thoracic epidural meperidine does not improve analgesia following thoracotomy, 882
- Buberl A. See Delle Karth G.
- Bureau N. See Ruest P.
- Bussi res JS, Lacasse Y, C  t  D, Beauvais M, St-Onge S, Lemieux J, Soucy J. Modified right-sided Broncho-CathTM double lumen tube improves endobronchial positioning: a randomized study, 276
- Butler R. See Novick RJ.; Singh SI.
- Butwick A, Carvalho B. The effect of colloid and crystalloid preloading on thromboelastography prior to Cesarean delivery, 190
- Byford L. See Bryson GL.
- Byrick R. See McIntyre K.
- C**
- Callum JL. See Karkouti K.
- Campbell FA. See McHardy P.
- Canadian Critical Care Trials Group. See McIntyre LA.
- Cappelleri G, Aldegheri G, Ruggieri F, Mamo D, Fanelli G, Casati A. Minimum effective anesthetic concentration (MEAC) for sciatic nerve block: subgluteus and popliteal approaches, 283
- Carvalho B. See Butwick A.
- Carvalho J. See Rofa el A.
- Carvalho JCA. See Arzola C.; Balki M.; Rofa el A.
- Casati A. See Cappelleri G.
- Case KA. See Comf re TB.
- Chan CT. See Wijesundera DN.
- Chan VWS, Perlas A, McCartney CJL, Brull R, Xu D, Abbas S. Ultrasound guidance improves success rate of axillary brachial plexus block, 176
- Chang KC. See Cho H-C.
- Charbonneau S, Girard F, Boudreault D, Ruel M, Hardy J-F. Anesthetic technique does not affect the performance of a rabbit model of arterial cyclic flow reductions: a pilot study, 269
- Chebade J-M. See Taha S.
- Cheikh AB. See Rimmel  T.
- Chen Z. See Huang H.
- Cheng DCH. See Novick RJ.
- Cherry RA. See Jones PM.; Turkstra TP.
- Cheung A, Finegan BA, Torok-Both C, Donnelly-Warner N, Lujic J. A patient information booklet about anesthesiology improves preoperative patient education, 355
- Cho H-C, Sohn J-T, Park K-E, Shin I-W, Chang KC, Lee J-W, Lee H-K, Chung Y-K. Inhibitory effect of tramadol on vasorelaxation mediated by ATP-sensitive K⁺ channels in rat aorta, 453
- Choiniere M. See Peng P.
- Chouinard P. See Thibault M.
- Chu CC. See Lee Y.
- Chu V. See Neira VM.
- Chui PT. See Ho AM-H.
- Chun R. See Karkouti K.
- Chung Y-K. See Cho H-C.
- Clemente A. See Tran QHD.
- Comf re TB, Sprung J, Case KA, Dye PT, Johnson JL, Hall BA, Schroeder DR, Hanson AC, Marienau MES, Warner DO. Predictors of mortality following symptomatic pulmonary embolism in patients undergoing noncardiac surgery, 634
- Cook D. See Sinuff T.
- Cook DJ. See McIntyre LA.
- Cooper RM. Complications associated with the use of the GlideScope[ ] videolaryngoscope, 54
- Cordahi G. See Ruest P.
- C  t  D. See Bussi res JS.
- Couture P, Denault AY, Pellerin M, Tardif J-C. Milrinone enhances systolic, but not diastolic function during coronary artery bypass grafting surgery, 509
- Coveney L. See Al-areibi A.
- Cox RG. Continuing Medical Education: Anesthetic management of pediatric adenotonsillectomy, 1021
- Cozart HB. See Bar-Yosef S.
- Craen RA. See Turkstra TP.
- Crosby E. Medical malpractice and anesthesiology: literature review and role of the expert witness, 227
- Crosby ET. See Neilipovitz DT.
- Crowther MA. See Karkouti K.
- Culebras X, Savoldelli GL, Van Gessel E, Klopfenstein CE, Saudan-Frei S, Schiffer E. Low-dose sufentanil does not potentiate intrathecal morphine for perioperative analgesia after major colorectal surgery, 811
- Cummings KC III, Arnaut K. Case report: Fentanyl-associated intraoperative anaphylaxis with pulmonary edema, 301

D

- Dagher C. See Taha S.
- David J-S, Ferreti C, Amour J, Vivien B, Eve O, Petit P, Riou B, Gueugniaud P-Y. Effects of bupivacaine, levobupivacaine and ropivacaine on myocardial relaxation, 208
- de Antueno C. See Hall R.
- de Médicis É, Pelletier J, Martin R, Loignon M-J, Tétrault J-P, Laroche L. Technical report: optimal quantity of saline for epidural pressure waveform analysis, 818
- Delle Karth G, Buberl A, Nikfardjam M, Meyer B, Wollenek G, Grimm M, Lassnigg A, Brannath W, Hiesmayr M, Heinz G. Role of amiodarone on the systemic inflammatory response induced by cardiac surgery: proinflammatory actions, 262
- Denault AT. See Couture P; Piquette D.
- Deschamps A, Kaufman I, Geist A, Backman SSB, Loo K. Heart rate and blood pressure variability as markers of sensory blockade with labour epidural analgesia, 183
- Deschamps A. See also Piquette D.
- Dhingra V. See McIntyre LA.
- Dhir S, Fuller J. Case report: Pregnancy in hemodialysis-dependent end-stage renal disease: anesthetic considerations, 556
- Dhir S, Ganapathy S, Lindsay P, Athwal GS. Case report: Ropivacaine neurotoxicity at clinical doses in interscalene brachial plexus block, 912
- Dhumne S. See Balki M.
- Dieterich J. See Goldmann K.
- Dillane D. See Tsui BCH.
- Dion D. See Peng P.
- Doan J. See Tran QHD.
- Dobson G, Maher N, Petrasek P, Johnston C. Images in Anesthesia: Diastolic rotational flow in the aortic arch, 1017
- Dodek P. See Sinuff T.
- Dohi T. See Irifune M.
- Dolbec P. See Bécharé P.
- Donnelly-Warner N. See Cheung A.
- Doufas AG. See Lin C-M.
- Douglas J. See Drake E.
- Drake E, Preston R, Douglas J. Brief review: Anesthetic implications of long QT syndrome in pregnancy, 561
- Drolet P. See Lallo A.
- Dye PT. See Comfere TB.

E

- Eidelman LA. See Kogan A.
- El-Khatib M. See Taha S.

- El-Khatib MF, Kanazi G, Baraka AS. Noninvasive bilevel positive airway pressure for preoxygenation of the critically ill morbidly obese patient, 744
- Endo C. See Irifune M.
- Eng M. See White PF.
- English MJM. See Bräuer A.
- Enright A. Anesthesia training in Rwanda, 935
- Ermenyi A. See Khan KZ.
- Eva KW. See Sinuff T.
- Eve O. See David J-S.
- Ewanchuk MA, Jacka MJ. Best Evidence in Critical Care Medicine: Steroids in fibroproliferative acute respiratory distress syndrome: approach with care. Commentary, 765

F

- Fallah S. See Rofaee A.
- Fanelli G. See Cappelleri G.
- Fayad A. Images in Anesthesia: A misplaced guide wire in the false lumen during endovascular repair of a type B aortic dissection, 947
- . Images in Anesthesia: Left ventricular outflow obstruction in a patient with undiagnosed hypertrophic obstructive cardiomyopathy, 1019
- . Images in Anesthesia: Transesophageal echocardiographic diagnosis of a failed balloon catheter during endovascular stenting of a descending thoracic aneurysm, 848
- Fergusson D. See McIntyre LA.
- Ferreti C. See David J-S.
- Finegan BA. See Cheung A.
- Finlayson RJ. See Tran QHD.
- Fox SA. See Novick RJ.
- Fremes SE. See Karkouti K.
- French S. See McIntyre K.
- Froese A. Anesthesia and the role of short-term service delivery in developing countries, 940
- Fuller J. See Dhir S.

G

- Gagne S. See Bryson GL.
- Ganapathy S. See Dhir S.
- Ganjoo P. See Sejwal S.
- Gauss T. See Mizuno J.
- Gautam S. See Agarwal A.
- Geist A. See Deschamps A.
- George RB, Melnick AH, Rose EC, Habib AS. Case series: Combined spinal epidural anesthesia for Cesarean delivery and *ex utero* intrapartum treatment procedure, 218
- George RB. See also Allen TK.
- Gibney N. See Bagshaw SM.
- Gibney RTN. See Brindley PG.

- Gilron I. See Boscariol R.
 Girard F. See Charbonneau S.; Thibault M.
 Goldmann K, Dieterich J, Roessler M.
 Laryngopharyngeal mucosal injury after prolonged use of the ProSeal™ LMA in a porcine model: a pilot study, 822
 Goldszmidt E. See Rofaeel A.
 Gottfried SB. See Mirkovic T.
 Graham D. See Khan KZ.
 Granton JT. See Wijesundera DN.
 Grimm M. See Delle Karth G.
 Grocott HP. See Bar-Yosef S.
 Gueugniaud P-Y. See David J-S.
 Gupta D. See Agarwal A.
 Gursahaney A. See Mirkovic T.
- H**
 Habib AS. See Allen TK.; George RB.
 Hall BA. See Comfere TB.
 Hall R, de Antueno C, Webber A. Publication bias in the medical literature: a review by a Canadian Research Ethics Board, 380
 Hall RI. See Karkouti K.
 Hanaoka K. See Mizuno J.
 Hanson AC. See Comfere TB.
 Hardy J-F. See Charbonneau S.
 Harle CC. See Jones PM.; Turkstra TP.
 Harris C. See Novick RJ.
 Haselmann L. See Bock M.
 Hayashida M. See Mizuno J.
 He W. See Liu K-X.
 Hébert P. See Shehata N.
 Hébert PC. See McIntyre LA.
 Heinz G. See Delle Karth G.
 Hemmerling TM, Le N. Brief review: Neuromuscular monitoring: an update for the clinician, 58
 Hennessey TA, Backman SB, Meterissian SH, Schricker T. Nail-Patella syndrome: a case report and anesthetic implications, 835
 Hernandez P. See Mirkovic T.
 Herold-McIlroy J. See Morgan PJ.
 Heyland D. See Sinuff T.
 Hiesmayr M. See Delle Karth G.
 Ho AM-H, Wong JCP, Chui PT, Karmakar MK.
 Case report: Use of two balloon-tipped catheters during thoracoscopic repair of a type C tracheo-esophageal fistula in a neonate, 223
 Hoogstra J. See Jones PM.; Turkstra TP.
 Huang C-C. See Lin C-M.
 Huang H, Zhang L, Wang Y, Yao J, Weng H, Wu H, Chen Z, Liu J. Effect of ischemic post-conditioning on spinal cord ischemic-reperfusion injury in rabbits, 42
 Hurlock-Chorostecki C. See Novick RJ.
 Hutton B. See McIntyre LA.
- I**
 Iijima T. See Zhao H.
 Intrater H. See Peng P.
 Iqbal Z. See Mohanram A.
 Irifune M, Katayama S, Takarada T, Shimizu Y, Endo C, Takata T, Morita K, Dohi T, Sato T, Kawahara M. MK-801 enhances gabaculine-induced loss of the righting reflex in mice, but not immobility, 998
 Isgro F. See Lehmann A.
 Ishimura H. See Takenaka I.
 Iwagaki T. See Takenaka I.
- J**
 Jacka MJ. See Ewanchuk MA.
 James AH. See Allen TK.
 Jeyaraj LM. See Bryson GL.
 Johnson JL. See Comfere TB.
 Johnston C. See Dobson G.
 Jones PM, Turkstra TP, Armstrong KP, Armstrong PM, Cherry RA, Hoogstra J, Harle CC. Effect of stylet angulation and endotracheal tube camber on time to intubation with the GlideScope®, 21
 Jones PM. See also Turkstra TP.
 Joseph NJ. See Nimmagadda U.
- K**
 Kadoya T. See Takenaka I.
 Kanani N. See Lin Y.
 Kanazi G. See El-Khatib MF.
 Kang J-E. See Kim DK.
 Kanji S. See Baxter AD.
 Karkouti K, Beattie WS, Crowther MA, Callum JL, Chun R, Fremes SE, Lemieux J, McAlister VC, Muirhead BD, Murkin JM, Nathan HJ, Wong BI, Yau TM, Yeo EL, Hall RI. The role of recombinant factor VIIa in on-pump cardiac surgery: Proceedings of the Canadian Consensus Conference, 573
 Karkouti K. See also Lin Y.
 Karmakar MK. See Ho AM-H.
 Kashimoto S. See Zhao H.
 Kasodekar S. See Balki M.
 Katayama S. See Irifune M.
 Katsiris S. See Al-areibi A.
 Kattan M. See Bryson GL.
 Kaufman I. See Deschamps A.
 Kawahara M. See Irifune M.
 Khan KZ, Graham D, Ermenyi A, Pillay WR. Case report: Managing a knotted Seldinger wire in the subclavian vein during central venous cannulation, 375

- Kiamzon H. See Morimoto M.
 Kiessling A-H. See Lehmann A.
 Kim DK, Rhee K-Y, Kwon W-K, Kim T-Y, Kang J-E. A heated humidifier does not reduce laryngo-pharyngeal complaints after brief laryngeal mask anesthesia, 134
 Kim JT. See Morimoto M.
 Kim T-Y. See Kim DK.
 Kirby CW. See Rosenbaum A.
 Klokocovnik T. See Mirkovic T.
 Klopfenstein CE. See Culebras X.
 Kogan A, Medalion B, Raanani E, Sharoni E, Stamler A, Pak N, Vidne BA, Eidelman LA. Early oral analgesia after fast-track cardiac anesthesia, 254
 Koloska A. See Lehmann A.
 Kroh M. See Novick RJ.
 Kumar A. See Wong DT.
 Kumar V. See Mohanram A.
 Kwon W-K. See Kim DK.
- L**
 Labourdette A. See Béchard P.
 Lacasse Y. See Bussi  res JS.
 Lacroix M. See B  chard P.; Lallo A.
 Lai HY. See Lee Y.
 Lallo A, Drolet P, Lacroix M. Performance of the PA_{press}TM vs the ProSealTM laryngeal mask airway during general anesthesia, 28
 Lalonde C. See Paul JE.
 Lam AM. See Olivar H.
 Lam-McCulloch J. See Morgan PJ.
 Laroche L. See de M  dicis   .
 Larochelle D. See B  chard P.
 Lassnigg A. See Delle Karh G.
 Lawrence HP. See Wong EYW.
 Le N. See Hemmerling TM.
 Lee H-K. See Cho H-C.
 Lee J-W. See Cho H-C.
 Lee LA. See Olivar H.
 Lee S-T. See Lin C-M.
 Lee Y, Wang PK, Lai HY, Yang YL, Chu CC, Wang JJ. Haloperidol is as effective as ondansetron for preventing postoperative nausea and vomiting, 349
 LeFort S. See Peng P.
 Lehmann A, N  ber M, Kiessling A-H, Isgro F, Koloska A, Boldt J. Case report: Fatal hepatic failure after aortic valve replacement and sevoflurane exposure, 917
 Lemieux J. See Bussi  res JS.; Karkouti K.
 Lessard MR. See Pellerin HG.; V  zina M-C.
 Levesque S. See Piquette D.
 Li AH-L. See Lin C-M.
 Lilker S. See Rofa  el A.
 Lin C-M, Wu C-T, Lee S-T, Lui T-N, Huang C-C, Li AH-L, Doufas AG. Sitting position does not alter minimum alveolar concentration for desflurane, 523
 Lin Y, Kanani N, Naughton F, Pendergrast J, Karkouti K. Case report: Transfusion-related acute lung injury (TRALI) – A clear and present danger, 1011
 Lindsay P. See Dhir S.
 Ling E. See Paul JE.
 Liu J. See Huang H.
 Liu K-X, Rinne T, He W, Wang F, Xia Z. Propofol attenuates intestinal mucosa injury induced by intestinal ischemia-reperfusion in the rat, 366
 Loignon M-J. See de M  dicis   .
 Loo K. See Deschamps A.
 Lorenz N. See Br  uer A.
 Lorenzo AJ. See McHardy P.
 Lui T-N. See Lin C-M.
 Lujic J. See Cheung A.
 Lynch M. See Peng P.
- M**
 MacNeil R. See Bryson GL.
 Magder S. See McIntyre LA.
 Maher N. See Dobson G.
 Malhi  re S. See Rimmel   T.
 Mamo D. See Cappelleri G.
 Marienau MES. See Comf  re TB.
 Markan S. See Mohanram A.
 Martin R. See de M  dicis   .
 Mathew JP. See Bar-Yosef S.
 Mazer CD. See Shebata N.
 McAlister VC. See Karkouti K.
 McCartney CJL. See Chan VWS.
 McDermid RC. See Paton-Gay JD.
 McDonnell C. See McHardy P.
 McHardy P, McDonnell C, Lorenzo AJ, Pippi Salle JL, Campbell FA. Management of priapism in a child with sickle cell anemia; successful outcome using epidural analgesia, 642
 McIntyre K, French S, Rose TH, Byrick R. Case report: Acute postoperative neurological impairment from fat embolism syndrome, 296
 McIntyre LA, Fergusson D, Cook DJ, Nair RC, Bell D, Dhingra V, Hutton B, Magder S, H  bert PC, for the Canadian Critical Care Trials Group. Resuscitating patients with early severe sepsis: a Canadian multicentre observational study, 790
 McKeown D. See Shippey B.
 Meade M. See Sinuff T.

- Medalion B.* See *Kogan A.*
Melnick AH. See *George RB.*
Meterissian SH. See *Hennessey TA.*
Meyer B. See *Delle Karth G.*
Miko I. See *Nimmagadda U.*
Miller DR, Wozny D. Research Awards Program of the Canadian Anesthesiologists' Society/Canadian Anesthesia Research Foundation: survey of past recipients, 314
Mirkovic T, Paver-Erzen V, Klokocovnik T, Gursahaney A, Hernandez P, Gottfried SB. Tracheal pressure regulated volume assist ventilation in acute respiratory failure, 420
Miura S. See *Zhao H.*
Mizuno J, Gauss T, Suzuki M, Hayashida M, Arita H, Hanaoka K. Encephalopathy and rhabdomyolysis induced by iotrolan during epiduroscopy, 49
Mohanram A, Kumar V, Iqbal Z, Markan S, Pagel PS. Repetitive generalized seizure-like activity during emergence from sevoflurane anesthesia, 657
Morgan PJ, Lam-McCulloch J, Herold-McIlroy J, Tarshis J. Simulation performance checklist generation using the Delphi technique, 992
Morimoto M, Popovic J, Kim JT, Kiamzon H, Rosenberg AD. Case series: Septa can influence local anesthetic spread during infraclavicular brachial plexus blocks, 1006
Morita K. See *Irifune M.*
Morley-Forster PK. See *Singh SI.*
Motsch J. See *Bock M.*
Moumdjian R. See *Thibault M.*
Muir HA. See *Allen TK.*
Muirhead BD. See *Karkouti K.*
Murkin JM. See *Karkouti K.*
- N**
Naglie G. See *Shehata N.*
Nair RC. See *McIntyre LA.*
Nathan HJ. See *Karkouti K.*
Naughton F. See *Lin Y.*
Neher M. See *Lehmann A.*
Neilipovitz DT, Crosby ET. No evidence for decreased incidence of aspiration after rapid sequence induction, 748
Neira VM, Sawchuk C, Bonneville KS, Chu V, Warkentin TE. Case report: Management of immediate post-cardiopulmonary bypass massive intra-cardiac thrombosis, 461
Nicole PC. See *Pellerin HG, Vézina M-C.*
Nikfardjam M. See *Delle Karth G.*
Nimmagadda U, Salem MR, Joseph NJ, Miko I. Efficacy of preoxygenation using tidal volume and deep breathing techniques with and without prior maximal exhalation, 448
Novick RJ, Fox SA, Stitt LW, Butler R, Kroh M, Hurlock-Chorostecki C, Harris C, Cheng DCH. Impact of the opening of a specialized cardiac surgery recovery unit on postoperative outcomes in an academic health sciences centre, 737
Nuangchamnong N. See *White PF.*
- O**
Ogunnaike B. See *White PF.*
Olivar H, Bramhall JS, Rozet I, Vavilala MS, Souter MJ, Lee LA, Lam AM. Subarachnoid lumbar drains: a case series of fractured catheters and a near miss, 829
Olufolabi AJ. See *Allen TK.*
Ong M. See *Peng P.*
Orr E. See *Boscariol R.*
- P**
Pagel PS. See *Mohanram A.*
Pak N. See *Kogan A.*
Park K-E. See *Cho H-C.*
Paton-Gay JD, Brindley PG, McDermid RC. Best Evidence in Critical Care Medicine: Fluid management in acute lung injury: friend or foe? Commentary, 73
Paul JE, Ling E, Lalonde C, Thabane L. Deliberate hypotension in orthopedic surgery reduces blood loss and transfusion requirements: a meta-analysis of randomized controlled trials, 799
Paver-Erzen V. See *Mirkovic T.*
Pellerin HG, Nicole PC, Trépanier CA, Lessard MR. Postoperative complications in patients with oculopharyngeal muscular dystrophy: a retrospective study, 361
Pellerin M. See *Couture P, Piquette D.*
Pelletier J. See *de Médecis É.*
Pelz DM. See *Turkstra TP.*
Pendergrast J. See *Lin Y.*
Peng P, Choiniere M, Dion D, Intrater H, LeFort S, Lynch M, Ong M, Rashid S, Tkachuk G, Veillette Y, STOPPAIN Investigators Group. Challenges in accessing multidisciplinary pain treatment facilities in Canada, 977
Peng P, Stinson JN, Choiniere M, Dion D, Intrater H, LeFort S, Lynch M, Ong M, Rashid S, Tkachuk G, Veillette Y, STOPPAIN Investigators Group. Dedicated multidisciplinary pain management centres for children in Canada: the current status, 985
Penning J. See *Bryson GL.*
Perl T. See *Bräuer A.*

Perlas A. See Chan VWS.
 Perron G. See Béchard P.
 Petit P. See David J-S.; Rimmelé T.
 Petrusek P. See Dobson G.
 Phillips-Bute B. See Bar-Yosef S.
 Pillay J. See Tsui BCH.
 Pillay WR. See Khan KZ.
 Pippi Salle JL. See McHardy P.
 Piquette D, Deschamps A, Bélisle S, Pellerin M, Levesque S, Tardif J-C, Denault AY. Effect of intravenous nitroglycerin on cerebral saturation in high-risk cardiac surgery, 718
 Popovic J. See Morimoto M.
 Prabhu A. See Wong DT.
 Preston R. See Drake E.

Q

Quintel M. See Bräuer A.

R

Raanani E. See Kogan A.
 Ramji A-K. See Tsui BCH.
 Rao V. See Wijesundera DN.
 Rashid S. See Peng P.
 Ray D. See Shippey B.
 Rhee K-Y. See Kim DK.
 Rimmelé T, Malhière S, Cheikh AB, Boselli E, Bret M, Ber C-E, Petit P, Allaouchiche B. L'électroencéphalogramme n'est pas un examen légitime pour la confirmation du diagnostic de mort cérébrale [The electroencephalogram is not an adequate test to confirm the diagnosis of brain death], 652
 Rinne T. See Liu K-X.
 Riou B. See David J-S.
 Roessler M. See Goldmann K.
 Rofaël A, Balki M, Carvalho JCA. Case report: Successful labour epidural analgesia in a patient with spinocerebellar ataxia, 467
 Rofaël A, Lilker S, Fallah S, Goldszmidt E, Carvalho J. Intrathecal plain vs hyperbaric bupivacaine for labour analgesia: efficacy and side effects, 15
 Rosaeg OP. See Bryson GL.
 Rose EC. See George RB.
 Rose TH. See McIntyre K.
 Rosenbaum A, Kirby CW, Breen PH. Bymixer system can measure O₂ uptake and CO₂ elimination in the anesthesia circle circuit, 430
 Rosenberg AD. See Morimoto M.
 Rozet I. See Olivar H.
 Ruel M. See Charbonneau S.; Thibault M.

Ruest P, Aroichane M, Cordahi G, Bureau N. Possible venous air embolism during open eye surgery in a child, 840
 Ruggieri F. See Cappelleri G.

S

Sacan O. See White PF.
 Salem MR. See Nimmagadda U.
 Sato T. See Irifune M.
 Saudan-Frei S. See Culebras X.
 Savoldelli GL. See Culebras X.
 Sawchuk C. See Neira VM.
 Schiffer E. See Culebras X.
 Schricker T. See Hennessey TA.
 Schroeder DR. See Comfere TB.
 Schwinn DA. See Stafford-Smith M.
 Sejwal S, Tandon M, Ganjoo P, Sharma A. Best Evidence in Critical Care Medicine: Pneumomediastinum due to hypopharyngeal injury during orotracheal intubation, 767
 Shaikh AA. See Turkstra TP.
 Shamsah M. See Singh SI.
 Sharma A. See Sejwal S.
 Sharoni E. See Kogan A.
 Shehata N, Wilson K, Mazer CD, Tomlinson G, Streiner D, Hébert P, Naglie G. The proportion of variation in perioperative transfusion decisions in Canada attributable to the hospital, 902
 Shimizu Y. See Irifune M.
 Shin I-W. See Cho H-C.
 Shippey B, Ray D, McKeown D. Case series: The McGrath® videolaryngoscope - an initial clinical evaluation, 307
 Siddik-Sayyid S. See Taha S.
 Simmonds M. See Brindley PG.
 Singh S. See Al-areibi A.
 Singh SI, Morley-Forster PK, Shamsah M, Butler R. Influence of injection rate of hyperbaric bupivacaine on spinal block in parturients: a randomized trial, 290
 Singh U. See Agarwal A.
 Sinha PK. See Unnikrishnan KP.
 Sinuff T, Eva KW, Meade M, Dodek P, Heyland D, Cook D. Clinical practice guidelines in the intensive care unit: a survey of Canadian clinicians' attitudes, 728
 Sohn J-T. See Cho H-C.
 Soucy J. See Bussiès JS.
 Souther MJ. See Olivar H.
 Sprung J. See Comfere TB.
 Sriganesh K. See Unnikrishnan KP.
 St-Onge S. See Bussiès JS.

- Stafford-Smith M, Bartz R, Wilson K, Baraniuk JN, Schwinn DA. Alpha-adrenergic mRNA subtype expression in the human nasal turbinate, 549
- Stamler A. See Kogan A.
- Steinmetz N. See Bräuer A.
- Stinson JN. See Peng P.
- Stitt LW. See Novick RJ.
- STOPPAIN Investigators Group. See Peng P.
- Streiner D. See Shebata N.
- Sugawara T. See Zhao H.
- Suncel PR. See Unnikrishnan KP.
- Suzuki M. See Mizuno J.

T

- Taba S, El-Khatib M, Siddik-Sayyid S, Dagher C, Chebade J-M, Baraka A. Preoxygenation with the Mapleson D anesthetic circuit requires higher oxygen flows than Mapleson A or circle circuits, 141
- Takarada T. See Irifune M.
- Takata T. See Irifune M.
- Takenaka I, Aoyama K, Iwagaki T, Ishimura H, Kadoya T. The sniffing position provides greater occipito-atlanto-axial angulation than simple head extension: a radiological study, 129
- Tandon M. See Sejwal S.
- Tardif J-C. See also Couture P.; Piquette D.
- Tarshis J. See Morgan PJ.
- Tétrault J-P. See de Medicis É.
- Thabane L. See Paul JE.
- Thibault M, Girard F, Moumdjian R, Chouinard P, Boudreault D, Ruel M. Craniotomy site influences postoperative pain following neurosurgical procedures: a retrospective study, 544
- Thomas S, Beevi S. Dexamethasone reduces the severity of postoperative sore throat, 897
- Thompson C. See Bryson GL.
- Tkachuk G. See Peng P.
- Tomlinson G. See Shebata N.
- Torok-Both C. See Cheung A.
- Tran QHD, Clemente A, Doan J, Finlayson RJ. Brachial plexus blocks: a review of approaches and techniques, 662
- Tran QHD, Clemente A, Finlayson RJ. A review of approaches and techniques for lower extremity nerve blocks, 922
- Trépanier CA. See Pellerin HG.; Vézina M-C.
- Tsui BCH, Dillane D, Pillay J, Ramji A-K, Walji AH. Images in Anesthesia: Cadaveric ultrasound imaging for training in ultrasound-guided peripheral nerve blocks: lower extremity, 475
- Tsui BCH, Dillane D, Walji AH. Images in Anesthesia: Cadaveric ultrasound imaging for training in ultrasound-guided peripheral nerve blocks: the upper extremity, 392
- Tufanogullari B. See White PF.
- Turkstra TP, Harle CC, Armstrong KP, Armstrong PM, Cherry RA, Hoogstra J, Jones PM. The GlideScope®-specific rigid stylet and standard malleable stylet are equally effective for GlideScope® use, 891
- Turkstra TP, Pelz DM, Shaikh AA, Craen RA. Cervical spine motion: a fluoroscopic comparison of Shikani Optical Stylet® vs Macintosh laryngoscope, 441
- Turkstra TP. See also Jones PM.

U

- Unnikrishnan KP, Sinha PK, Sriganesh K, Suncel PR. Case report: Alterations in bispectral index following absolute alcohol embolization in a patient with an intracranial arteriovenous malformation, 908

V

- Van Gessel E. See Culebras X.
- Vavilala MS. See Olivar H.
- Veillette Y. See Peng P.
- Vézina M-C, Trépanier CA, Nicole PC, Lessard MR. Complications associated with the Esophageal- Tracheal Combitube® in the pre-hospital setting, 124
- Vidne BA. See Kogan A.
- Vivien B. See David J-S.

W

- Walji AH. See Tsui BCH.
- Wang F. See Liu K-X.
- Wang JJ. See Lee Y.
- Wang PK. See Lee Y.
- Wang Y. See Huang H.
- Warkentin TE. See Neira VM.
- Warner DO. See Comfère TB.
- Webber A. See Hall R.
- Weng H. See Huang H.
- Weyland W. See Bräuer A.
- White PF, Sacan O, Tufanogullari B, Eng M, Nuangchamnon N, Ogunnaike B. Effects of short-term postoperative celecoxib administration on patient outcome after outpatient laparoscopic surgery, 342
- Wijesundera DN, Beattie WS, Rao V, Granton JT, Chan CT. N-acetylcysteine for preventing acute kidney injury in cardiac surgery patients with pre-existing moderate renal insufficiency, 872
- Wilson K. See Shebata N.; Stafford-Smith M.

Wollenek G. See Delle Karth G.

Wong BI. See Karkouti K.

Wong DT, Kumar A, Prabhu A. The laryngeal mask airway prevents supraglottic leak during ventilation through an uncuffed cricothyroidotomy, 151

Wong DT. See also Wong EYW.

Wong EYW, Lawrence HP, Wong DT. The effects of prophylactic coronary revascularization or medical management on patient outcomes after noncardiac surgery - a meta-analysis, 705

Wong JCP. See Ho AM-H.

Wozny D. See Miller DR.

Wu C-T. See Lin C-M.

Wu H. See Huang H.

X

Xia Z. See Liu K-X.

Xu D. See Chan VWS.

Y

Yang YL. See Lee Y.

Yao J. See Huang H.

Yau TM. See Karkouti K.

Yeo EL. See Karkouti K.

Z

Zhang L. See Huang H.

Zhao H, Sugawara T, Miura S, Iijima T, Kashimoto S. Intrathecal landiolol inhibits nociception and spinal c-Fos expression in the mouse formalin test, 201